



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/597,666

06/20/2007

Dan Rottenberg

372/05298

4703

67801

7590

01/07/2010

MARTIN D. MOYNIHAN d/b/a PRTSI, INC.

P.O. BOX 16446

ARLINGTON, VA 22215

EXAMINER

SU, SUSAN SHAN

ART UNIT

PAPER NUMBER

3761

MAIL DATE

DELIVERY MODE

01/07/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/597,666	Applicant(s) ROTTENBERG ET AL.	
	Examiner SUSAN SU	Art Unit 3761	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 September 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-6,9-12 and 15-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-6,9-12 and 15-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>30 November 2009</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Status of Claims

Claims 1, 3-6, 9-12, and 15-19 are pending. Claims 1, 2, 10, 11, 15, and 17 are amended. No new matter is added.

Response to Arguments

1. Applicant's arguments filed September 17, 2009 have been fully considered but they are not persuasive. Applicant argues that primary reference Wolf '869 teaches a coronary artery bypass that allows blood communication between the left ventricle and the coronary artery but does not teach or suggest regulating pressure between two heart chambers. While it is understood that the Applicant's invention regulates the pressure difference between the two atria through regulating the flow between the chambers, it is noted that the features upon which applicant relies (i.e., regulation of pressure by the flow regulating mechanism) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).
2. Furthermore, while features of an apparatus may be recited either structurally or functionally, claims directed to a device must be distinguished from the prior art in terms of structure rather than function, because device claims cover what a device is, not what a device does (*Hewlett-Packard Co. v. Bausch & Lomb Inc.*, 909 F.2d 1464, 1469, 15 USPQ2d 1525, 1528 (Fed. Cir. 1990)). Thus, if a prior art structure is capable of performing the intended use as recited in the preamble, or elsewhere in a claim, then it

Art Unit: 3761

meets the claim. Although the device of Wolf '869 is not designed to be implanted in the septum between the left and right atria and is also not explicitly designed for pressure regulation, it is still capable of regulating pressure between the two heart chambers by merely providing a bypass conduit between them (i.e. minimizes pressure build-up in one chamber when the blood can overflow into another chamber).

Similarly for the newly added limitation of Claims 3 & 15, if the prior art device comprises the structural features as claimed and is capable of performing the functions as recited, then it is "configured" to carry out the claimed functions. In this case, the shunt of Wolf '869 comprises the claimed structural limitations and is capable of protruding into the heart chambers; thus it meets the claims.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 3761

5. Claims 1, 3-4, 9-10, 17, & 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wolf et al. (US 2004/0147869, "Ref. 1").

With regard to Claim 1, Ref. 1 teaches a differential pressure regulating device (see Figs. 6F & 8E), the device comprising:

a shunt (720) being for positioning in the heart to enable fluids to flow between two chambers and an adjustable flow regulating mechanism (e.g. 732) being configured to selectively cover an opening of said shunt while keeping said shunt always open, to regulate and keep the flow of fluid through said shunt in relation to a pressure difference between said chambers.

Ref. 1 does not specifically teach that the two chambers are the left and right atria. However, Ref. 1 discloses that the heart wall can be the septum (which is between the two ventricles or the two atria, see [0112]) of the heart. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Ref. 1 by placing the device in the interatrial septum to reduce cyclic mismatched output between a diseased heart chamber and the other chambers.

With regard to Claim 3, since the shunt of Ref. 1 is structured as claimed and is capable of extending into the adjacent chambers (as shown in Fig. 8E) when implanted into the heart wall, it thus meets the limitation of "configured for protruding into said left atrium and/or said right atrium when positioned within said septum."

With regard to Claim 4, Ref. 1 also teaches that the flow regulating mechanism is to be continually adjustable in accordance with changes in pressure difference between

Art Unit: 3761

the left and right atria ([0134] where cardiac cycle naturally causes pressure differences).

With regard to Claim 9, Ref. 1 also teaches that the flow regulating mechanism is to close the opening of said shunt ([0134-0135]).

With regard to Claim 10, Ref. 1 teaches all the limitations that are repeated in Claim 1 and that the flow regulating mechanism includes one or more mechanisms selected from the group consisting of a disk valve connected to a twisting spring, a pre-shaped flexible wire, a cone connected to a compression spring, a leaflet valve (see Fig. 6F), a flexible disk having an adjustable, substantially central hole, a first balloon having liquid therein and connected through a tube to a second balloon, a first balloon having liquid therein and connected through a tube to a reservoir having a piston moving against a compression spring, and a first balloon having liquid therein and connected through a tube to a reservoir having a piston moving in accordance with a controlled activation system.

With regard to Claim 17, Ref. 1 teaches an in-vivo pressure control method the method comprising:

- implanting (see Abstract) a differential pressure regulation device including a shunt in the heart wall between two chambers;
- deploying a flow regulating mechanism (Abstract),
- controlling a setting of said flow regulating mechanism according to changes in pressure differences between said chambers ([0134]), and

maintaining a flow between said chambers through all pressure differences between said chambers (with the fact that the valve never closes completely).

Ref. 1 does not teach that the two chambers are the left and right atria.

However, Ref. 1 discloses that the heart wall can be the septum ([0112]) of the heart. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Ref. 1 to ease the pressure on the diseased chamber of the heart.

With regard to Claim 19, Ref. 1 also teaches reducing a pressure difference between the two chambers (when blood is free to flow between the chambers the pressure difference is reduced).

6. Claims 5-6, 11-12, 15-16, & 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ref. 1 as applied to claim 1 above, and further in view of Wolf et al. (US 2002/0165606, "Ref. 2").

With regard to Claims 5-6 & 11-12, Ref. 1 teaches all the limitations that are in Claim 1 but does not teach expressly a control mechanism for remote control of the flow regulating mechanism. Ref. 2 teaches a control mechanism (30 & 36, Fig. 7) to remotely control said flow regulating mechanism (the sensors 30 are placed away from the flow regulating mechanism 10) wherein the control mechanism includes one or more mechanisms selected from the group consisting of wires, lines, springs, pins, cables, magnets, hooks, latches, electric mechanisms (30), pressure transducers, telemetry mechanisms, wireless mechanisms, pneumatic mechanisms, and motors. It would

have been obvious to modify Ref. 1 with Ref. 2 for the purpose of being actively control the opening and closing of the valve.

With regard to Claim 15, see explanation under Claim 3 above.

With regard to Claim 16, Ref. 1 does not teach that the flow regulating mechanism is rigid. Ref. 2 teaches that the flow regulating mechanism is rigid ([0041] and [0045] where valve 16 of Fig. 7 made of the same material as shunt 12) and its position is directly controlled by the control mechanism, thereby substantially determining the precise size of the opening of the shunt. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Ref. 1 with Ref. 2 with a rigid valve for the purpose of having the option of determining the flow volume between the two chambers independent of the pressure threshold.

With regard to Claim 18, Ref. 1 does not teach remotely controlling the flow regulating mechanism positioning. Ref. 2 teaches remotely controlling the flow regulating mechanism positioning ([0050]). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Ref. 1 with Ref. 2 for the purpose of determining the flow volume between the two chambers independent of the pressure threshold.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SUSAN SU whose telephone number is (571)270-3848. The examiner can normally be reached on M-F 9:00AM-5:00PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tatyana Zalukaeva can be reached on 571-272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3761

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Susan Su/

Examiner, Art Unit 3761

/Tatyana Zalukaeva/

Supervisory Patent Examiner, Art Unit 3761